
EMC Test Report

Report No.: AGC05443251253EE01

PRODUCT DESIGNATION : USB Flash drive

BRAND NAME : N/A

MODEL NAME : MO1055, MO1007, MO1020, MO1091, MO1201, MO1202,
MO6898, MO9871

APPLICANT : MID OCEAN BRANDS B.V.

DATE OF ISSUE : Jan. 07, 2026

STANDARD(S) : EN 55032:2015+A11:2020+A1:2020
EN 55035:2017+A11:2020

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



REPORT REVISE RECORD

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Jan. 07, 2026	Valid	Initial release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Table of contents

1. General information	5
2. Description of Test Configuration	6
2.1. Technical Description of Product	6
2.2. Description of Support Equipment	6
2.3. Description of Test Modes	6
3. Summary of Measurement Results and Uncertainty	7
3.1. Test Specifications	7
3.2. Description of Measurement Results	7
3.3. Description of Measurement Uncertainty	9
4. Test Facility	10
5. Measurement of Radiated Emissions at Frequencies up to 1 GHz	11
5.1. Requirements	11
5.2. Block Diagram of Test Setup	11
5.3. Equipment Details	12
5.4. Configuration of the EUT and method of measurement	12
5.5. Test Summary	13
6. Measurement of Radiated Emissions at Frequencies Above 1 GHz	15
6.1. Requirements	15
6.2. Block Diagram of Test Setup	15
6.3. Equipment Details	16
6.4. Configuration of the EUT and method of measurement	16
6.5. Test Summary	17
7. Measurement of Electrostatic discharge	19
7.1. Requirements	19
7.2. Block Diagram of Test Setup	19
7.3. Equipment Details	20
7.4. Configuration of the EUT and method of measurement	20
7.5. Test Summary	21
8. Measurement of Radio-Frequency Electromagnetic Field	22
8.1. Requirements	22
8.2. Block Diagram of Test Setup	23
8.3. Equipment Details	24
8.4. Configuration of the EUT and method of measurement	24
8.5. Test Summary	25

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9. Photographs of Test Setup	26
10. Photographs of EUT	29

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

1. General information

Applicant	MID OCEAN BRANDS B.V.
Address	Unit 711 716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Manufacturer	MID OCEAN BRANDS B.V.
Address	Unit 711 716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Factory	MID OCEAN BRANDS B.V.
Address	Unit 711 716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Product Designation	USB Flash drive
Brand Name	N/A
Test Model	MO1055
Series Model(s)	MO1007, MO1020, MO1091, MO1201, MO1202, MO6898, MO9871
Difference Description	All the same except for the model names and shell
Deviation from Standard	No any deviation from the test method
Date of receipt of test item	Dec. 29, 2025
Date of Test	Dec. 29, 2025 to Jan. 07, 2026
Test Result	Pass
Test Report Form No	AGCER-EMC-GEN-V1
Note: The test results of this report relate only to the tested sample identified in this report.	

Prepared By



CiCi Li
(Project Engineer)

Jan. 07, 2026

Reviewed By



Jack Gui
(Reviewer)

Jan. 07, 2026

Approved By



Angela Li
(Authorized Officer)

Jan. 07, 2026


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2. Description of Test Configuration

2.1. Technical Description of Product

Categorization of Equipment	Class B equipment
Test arrangements of EUT	Table-top
Hardware Version	N/A
Software Version	N/A
Highest Internal Frequency	Greater than 108MHz
Power Supply	DC 5V by PC

Connection Diagram of Host System



I/O Port Information (☒ Applicable ☐ Not Applicable)

Port Type	Input/Output	Number	Cable Description
USB Type-A	In&Out	1	--

2.2. Description of Support Equipment

Device Type	Manufacturer	Model Name	Serial No.	Data Cable	Power Cable
Redmi Notebook PC	Redmi	XMA2002-AB	--	--	--

2.3. Description of Test Modes

No.	Test Mode Description
1	Data transmission mode

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3. Summary of Measurement Results and Uncertainty

3.1. Test Specifications

EN 55032:2015+A11:2020+A1:2020	Electromagnetic compatibility of multimedia equipment - Emission requirements
EN 55035:2017+A11:2020	Electromagnetic compatibility of multimedia equipment - Immunity requirements

3.2. Description of Measurement Results

Test items	Test Standard(s)	Verdict
Radiated emissions at frequencies up to 1 GHz	EN 55032	Pass
Radiated emissions at frequencies above 1 GHz	EN 55032	Pass
Electrostatic discharge	IEC 61000-4-2 ^a	Pass
Radio-frequency electromagnetic field	IEC 61000-4-3 ^a	Pass
Note: a. The applicable versions of the basic standards are defined in the standard which listed in the test specification.		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Performance table

Performance Criteria for Immunity	
Performance criterion A	The equipment shall continue to operate as intended without operator intervention. No degradation of performance, loss of function or change of operating state is allowed below a performance level specified by the manufacturer when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level or the permissible performance loss is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.
Performance criterion B	During the application of the disturbance, degradation of performance is allowed. However, no unintended change of actual operating state or stored data is allowed to persist after the test. After the test, the equipment shall continue to operate as intended without operator intervention; no degradation of performance or loss of function is allowed, below a performance level specified by the manufacturer, when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance. If the minimum performance level (or the permissible performance loss), or recovery time, is not specified by the manufacturer, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.
Performance criterion C	Loss of function is allowed, provided the function is self-recoverable, or can be restored by the operation of the controls by the user in accordance with the manufacturer's instructions. A reboot or re-start operation is allowed. Information stored in non-volatile memory, or protected by a battery backup, shall not be lost.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

3.3. Description of Measurement Uncertainty

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95%.

Item	Measurement Uncertainty
Radiated emissions at frequencies up to 1 GHz	$U_c = \pm 3.9 \text{ dB}$
Radiated emissions at frequencies above 1 GHz	$U_c = \pm 4.9 \text{ dB}$

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

4. Test Facility

Laboratory name: Attestation of Global Compliance (Shenzhen) Co., Ltd.

Laboratory Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5488

Attestation of Global Compliance (Shenzhen) Co., Ltd. is accredited in accordance with the recognized International Standard ISO/IEC 17025 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories).

A2LA-Lab Cert. No.: 5054.02

Attestation of Global Compliance (Shenzhen) Co., Ltd. is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This laboratory also meets the requirements of any additional program requirements in the Electrical field.

FCC-Registration No.: 975832

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

IC-Registration No.: 24842

CAB identifier: CN0063

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

VCCI Membership No.: 4112

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered in accordance with VCCI Council Rules.

VCCI Registration No. C-20098 for conducted emissions at AC main power ports

VCCI Registration No. T-20102 for conducted emissions at telecommunication ports

VCCI Registration No. R-20136 for radiated emissions below 1GHz

VCCI Registration No. G-20132 for radiated emissions above 1GHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

5. Measurement of Radiated Emissions at Frequencies up to 1 GHz

5.1. Requirements


Requirements for radiated emissions at frequencies up to 1 GHz at 3m distance

Test facility	Detector type/ bandwidth	Frequency Range (MHz)	Limits dB(μ V/m)	Measurement specifications
SAC	Quasi-peak/ 120kHz	30 to 230	40	Instrumentation: CISPR 16-1-1, Clauses 4, 5 Antennas: CISPR 16-1-4, Clause 4.5 Test Site: CISPR 16-1-4, Clause 6 Method: CISPR 16-2-3, Clause 7.6
		230 to 1000	47	

Note:

- The lower limit shall apply at the transition frequency.

5.2. Block Diagram of Test Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5.3. Equipment Details

Measuring Instruments

Instruments No.	Instruments	Manufacturer	Model	S/N	Cal. Date	Cal. Due
AGC-EM-E046	Test Receiver	R&S	ESCI	100096	2025-01-14	2026-01-13
AGC-EM-E001	Antenna	SCHWARZBECK	VULB9168	D69250	2025-03-14	2027-03-13
AGC-EM-A138	Attenuator	East sheep	LM-XX-6-5W	N/A	2025-05-16	2027-05-15

Measuring Software

Software No.	Software Name	Manufacturer	Details
AGC-EM-S004	TS+[JS32-RE]	Tonscend	For EMC Measurement, Version 4.0.0.0


5.4. Configuration of the EUT and method of measurement

- The EUT was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, the EUT was placed on the top surface of a measurement table, 0.8 m high from the horizontal reference plane. When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 10 cm non-conductive covering to insulate the EUT from the ground plane.
- Support equipment, if needed, was placed as per CISPR 16-2-3.
- All I/O cables were positioned to simulate typical actual usage as per CISPR 16-2-3.
- The maximum receiving level of radiated emissions from the EUT was measured while the turntable was rotated from 0° to 360° and the antenna height was scanned between 1 m and 4 m. The cables were laid out to attain the maximum level of radiated emissions.
- The more description of the tests, the test methods, and the test set-ups are given in the applicable test standard.
- Record at least six highest emissions relative to the limits at each frequency of interest unless the emission is 10 dB or greater below the limit.
- A radiated emission is calculated by the following equation:
 - Measurement Level dB(μV/m) = Receiver reading dB(μV) + Factor(dB/m)
 - Factor(dB/m) = Antenna Factor(dB/m) + Cable Loss(dB)
 - Margin= Limit-Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5.5. Test Summary


Test Engineer	Alex Yang	Temperature	22.4 °C
Test Date	2025-12-30	Air Pressure	985 Mbar
Test Mode	Mode 1	Relative Humidity	52.5 %
Verdict	Pass		



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test graph and data for Radiated Emission up to 1GHz

Test Mode: Mode 1



No.	Frequency [MHz]	Level [dBμV/m]	Factor dB	Limit [dBμV/m]	Margin dB	Detector	Polarity
1	49.4	27.89	14.31	40.00	12.11	Peak	Vertical
2	70.74	26.26	11.75	40.00	13.74	Peak	Vertical
3	111.48	27.52	12.83	40.00	12.48	Peak	Vertical
4	338.46	36.41	16.98	47.00	10.59	Peak	Vertical
5	524.7	35.40	21.54	47.00	11.60	Peak	Vertical
6	998.06	38.94	29.54	47.00	8.06	Peak	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


6. Measurement of Radiated Emissions at Frequencies Above 1 GHz

6.1. Requirements

Requirements for radiated emissions at frequencies above 1 GHz at 3m distance

Test facility	Detector type/ bandwidth	Frequency Range (MHz)	Limits dB(μ V/m)	Measurement specifications
FSOATS	Peak/ 1MHz	1000 to 6000	74	Instrumentation: CISPR 16-1-1, Clauses 4, 6, 7 Antennas: CISPR 16-1-4, Clause 4.6 Test Site: CISPR 16-1-4, Clause 7 Method: CISPR 16-2-3, Clause 7.6
	Average/ 1MHz	1000 to 6000	54	

6.2. Block Diagram of Test Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6.3. Equipment Details

Measuring Instruments

Instruments No.	Instruments	Manufacturer	Model	S/N	Cal. Date	Cal. Due
AGC-EM-E061	Signal Analyzer	Keysight	N9010A	MY53470504	2025-05-08	2026-05-07
AGC-EM-E102	Antenna	ETS	3117	00154520	2025-05-18	2026-05-17
AGC-EM-E146	Preamplifier	ETS	3117PA	00246148	2024-07-24	2026-07-23

Measuring Software

Software No.	Software Name	Manufacturer	Details
AGC-EM-S004	TS+[JS32-RE]	Tonscend	For EMC Measurement, Version 4.0.0.0


6.4. Configuration of the EUT and method of measurement

- The EUT was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, the EUT was placed on the top surface of a measurement table, 0.8 m high from the horizontal reference plane. When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 10 cm non-conductive covering to insulate the EUT from the ground plane.
- Support equipment, if needed, was placed as per CISPR 16-2-3.
- All I/O cables were positioned to simulate typical actual usage as per CISPR 16-2-3.
- The maximum receiving level of radiated emissions from the EUT was measured while the turntable was rotated from 0° to 360° and the antenna height scanned from 1 m to a height equal to the top of the EUT on the setup table or, if the 3 dB beam width of the antenna encompasses the EUT, fixed at a height encompassing the EUT. The cables were laid out to attain the maximum level of radiated emissions.
- The more description of the tests, the test methods, and the test set-ups are given in the applicable test standard.
- Record at least six highest emissions relative to the limits at each frequency of interest unless the emission is 10 dB or greater below the limit.
- A radiated emission is calculated by the following equation:
 - Measurement Level dB(μ V/m) = Receiver reading dB(μ V) + Factor(dB/m)
 - Factor(dB/m) = Antenna Factor(dB/m) + Cable Loss(dB) – Amplifier Gain(dB)
 - Margin= Limit-Level

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6.5. Test Summary


Test Engineer	Alex Yang	Temperature	22.4 °C
Test Date	2025-12-30	Air Pressure	985 Mbar
Test Mode	Mode 1	Relative Humidity	52.5 %
Verdict	Pass		



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test graph and data for Radiated Emission above 1GHz

Test Mode: Mode 1



No.	Frequency [MHz]	Level [dBμV/m]	Factor dB	Limit [dBμV/m]	Margin dB	Detector	Polarity
1	1197.039408	37.17	-17.56	74.00	36.83	Peak	Vertical
2	1521.104221	39.36	-17.65	74.00	34.64	Peak	Vertical
3	2069.213843	42.27	-13.49	74.00	31.73	Peak	Vertical
4	2662.332467	47.13	-11.46	74.00	26.87	Peak	Vertical
5	3505.5011	39.70	-10.51	74.00	34.30	Peak	Vertical
6	5713.942789	43.37	-5.97	74.00	30.63	Peak	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

7. Measurement of Electrostatic discharge

7.1. Requirements

Port	Enclosure
Basic Standard	IEC 61000-4-2
Test Level	±8.0 kV (Air Discharge) ±4.0 kV (Contact Discharge) ±4.0 kV (Indirect Discharge)
Required Performance Criterion	B
Time Between Each Discharge	1 second
Number of Discharge for Each Applied Voltage	10

7.2. Block Diagram of Test Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

7.3. Equipment Details

Measuring Instruments

Instruments No.	Instruments	Manufacturer	Model	S/N	Cal. Date	Cal. Due
AGC-EM-E013	ESD Simulator	Schaffner	NSG 438	782	2025-11-03	2026-11-02

Measuring Software

Software No.	Software Name	Manufacturer	Details
--	--	--	--

7.4. Configuration of the EUT and method of measurement


- Electrostatic discharges were applied only to those points and surfaces of the EUT that are accessible to users during normal operation.
- The test was performed with at least ten single discharges on the pre-selected points in the most sensitive polarity.
- The time interval between two successive single discharges was at least 1 second.
- The ESD generator was held perpendicularly to the surface to which the discharge was applied and the return cable was at least 0.2 meters from the EUT.
- Contact discharges were applied to the non-insulating coating, with the pointed tip of the generator penetrating the coating and contacting the conducting substrate.
- Air discharges were applied with the round discharge tip of the discharge electrode approaching the EUT as fast as possible (without causing mechanical damage) to touch the EUT. After each discharge, the ESD generator was removed from the EUT and re-triggered for a new single discharge. The test was repeated until all discharges were completed.
- At least ten single discharges (in the most sensitive polarity) were applied to the Horizontal Coupling Plane at points on each side of the EUT. The ESD generator was positioned vertically at a distance of 0.1 meters from the EUT with the discharge electrode touching the HCP.
- At least ten single discharges (in the most sensitive polarity) were applied to the center of one vertical edge of the Vertical Coupling Plane in sufficiently different positions that the four faces of the EUT were completely illuminated. The VCP (dimensions 0.5m×0.5m) was placed vertically to and 0.1 meters from the EUT.
- The test results shall be classified in terms of the loss of function or degradation of performance of the equipment under test, relative to a performance criterion defined in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

7.5. Test Summary

Test Engineer	Carl Duan	Temperature	24.6 °C
Test Date	2026-01-04	Air Pressure	985 Mbar
Test Mode	Mode 1	Relative Humidity	53.3 %
Verdict	Pass		

Voltage	Coupling	Observation	Performance
±4kV	Contact Discharge	No degradation of performance	A
±2KV, ±4kV, ±8kV	Air Discharge	N/A	N/A
±4kV	Indirect Discharge HCP	No degradation of performance	A
±4kV	Indirect Discharge VCP	No degradation of performance	A

Discharge Point:	
Red line: Contact discharge	
	

Note: No air discharge method

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

8. Measurement of Radio-Frequency Electromagnetic Field

8.1. Requirements


Port	Enclosure
Basic Standard	IEC 61000-4-3
Test Level	Swept test: 3V/m with 80% AM. 1kHz Modulation at 80 to 1000MHz Spot test (Frequency ($\pm 1\%$)): 3V/m with 80% AM. 1kHz Modulation at 1800, 2600, 3500, 5000MHz
Required Performance Criterion	A
Antenna polarization	Vertical and Horizontal
Step size increment ^a	1%
Dwell time ^b	≤ 5 seconds
Test Distance	3m
EUT position facing antenna	Front side, back side, left side and right side

Notes:

- Recognizing that a 1% step size is preferred, the frequency range can be swept incrementally with a step size not exceeding 4% of the previous frequency with a test level of twice the value of the specified test level in order to reduce the testing time for equipment requiring testing in multiple configurations and/or long cycle times.
- The dwell time at each frequency shall not be less than the time necessary for the EUT to be exercised and to be able to respond. However, the dwell time shall not exceed 5 seconds at each of the frequencies during the scan. The time to exercise the EUT is not interpreted as a total time of a program or a cycle but related to the reaction time in case of failure of the EUT.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8.2. Block Diagram of Test Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8.3. Equipment Details

Measuring Instruments

Instruments No.	Instruments	Manufacturer	Model	S/N	Cal. Date	Cal. Due
AGC-EM-E115	Signal Generator	Aglient	N5182A	MY49060745	2025-03-07	2026-03-06
AGC-EM-E041	Directional Couple	Werlatonee	C6026-10	99482	2024-02-01	2026-01-31
AGC-EM-E040	Directional Couple	Werlatonee	C5571-10	99463	2024-02-01	2026-01-31
AGC-EM-E035	Power Probe	R&S	URV5-Z4	100124	2025-03-24	2027-03-23
AGC-EM-E005	Power Meter	R&S	NRVD	8323781027	2025-03-24	2027-03-23
AGC-EM-E016	Power Amplifier	KALMUS	7100LC	04-02/17-06-001	2025-07-18	2026-07-17
AGC-EM-E160	Power Amplifier	TESEQ	CBA3G-100	T43913	2025-05-21	2026-05-20
AGC-EM-E080	Power Amplifier	Rflight	NTWPA-2560100	17063183	2025-07-18	2026-07-17
AGC-EM-E029	Double-Ridged Waveguide Horn Antenna	ETS-LINDGREN	3117	00034609	2025-03-27	2026-03-26
AGC-EM-E028	Wideband Antenna	ETS-LINDGREN	3142C	00060447	N/A	N/A

Measuring Software

Software No.	Software Name	Manufacturer	Details
AGC-EM-S006	TS+[JS35-RS]	Tonscend	For EMC Measurement, Version 2.0.1.8

8.4. Configuration of the EUT and method of measurement

- The Equipment Under Test (EUT) was positioned within the Uniform Field Area (UFA) on a supporting table, ensuring a 3-meter separation from the transmitting antenna. This setup aligns with the calibrated square area, guaranteeing field uniformity during testing. The supporting units were strategically located outside the UFA to avoid any potential interference. Nonetheless, the cables connected to the EUT were intentionally exposed to the precisely calibrated field within the UFA.
- Before testing, it will verify the proper operation of the test equipment/system. This verification will involve measuring the field strength at one point within the Uniform Field Area (UFA) at various frequencies.
- The test shall be performed according to the above requirements and block diagram which shall specify the test setup.
- The test results shall be classified in terms of the loss of function or degradation of performance of the equipment under test, relative to a performance criterion defined in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8.5. Test Summary

Test Engineer	Alex Yang	Temperature	22.3 °C
Test Date	2026-01-06	Air Pressure	985 Mbar
Test Mode	Mode 1	Relative Humidity	59.2 %
Verdict	Pass		

Swept test:


Frequency	Exposed Side	Field Strength (V/m)	Observation	Performance
80MHz to 1GHz	Front	3V/m (rms)	No degradation of performance	A
80MHz to 1GHz	Left	3V/m (rms)	No degradation of performance	A
80MHz to 1GHz	Rear	3V/m (rms)	No degradation of performance	A
80MHz to 1GHz	Right	3V/m (rms)	No degradation of performance	A

Spot test (Frequency (±1 %)):


Frequency	Exposed Side	Field Strength (V/m)	Observation	Performance
1800, 2600, 3500, 5000MHz	Front	3V/m (rms)	No degradation of performance	A
1800, 2600, 3500, 5000MHz	Left	3V/m (rms)	No degradation of performance	A
1800, 2600, 3500, 5000MHz	Rear	3V/m (rms)	No degradation of performance	A
1800, 2600, 3500, 5000MHz	Right	3V/m (rms)	No degradation of performance	A

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

9. Photographs of Test Setup



Radiated emissions at frequencies up to 1 GHz




Radiated emissions at frequencies above 1 GHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>




Electrostatic discharge



Radio-frequency electromagnetic field up to 1 GHz

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>




Radio-frequency electromagnetic field above 1 GHz


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

10. Photographs of EUT




All view of EUT - MO1007




All view of EUT - MO1020

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




All view of EUT - MO1201




All view of EUT - MO1202

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



All view of EUT - MO6898




All view of EUT - MO9871

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




All view of EUT - MO1091




Top view of EUT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Bottom view of EUT




Front view of EUT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Back view of EUT




Left view of EUT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Right view of EUT




Open view of EUT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>




Internal view-1 of EUT




Internal view-2 of EUT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Internal view-3 of EUT



Internal view-4 of EUT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

----End of Report----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Report

Report No. : AGC05443251252-001

SAMPLE NAME : USB Flash drive

MODEL NAME : MO1104, MO1001, MO1007, MO1020, MO1055, MO1091, MO1201,
MO1202, MO6898, MO9871, MO1093, MO1106, MO1401, MO6001,
MO6004

APPLICANT : MID OCEAN BRANDS B.V.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE : Jan. 26, 2026

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Applicant : MID OCEAN BRANDS B.V.
Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong.
Test Site : 6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : USB Flash drive
Model : MO1104, MO1001, MO1007, MO1020, MO1055, MO1091, MO1201, MO1202, MO6898, MO9871, MO1093, MO1106, MO1401, MO6001, MO6004
Vendor code : 119986
Country of Origin : CHINA
Country of Destination : EUROPE
Sample Received Date : Dec. 26, 2025
Testing Period : Dec. 26, 2025 to Jan. 26, 2026
Test Requested : Selected test(s) as requested by client.

Test Requested:**Conclusion**

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863
- Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP


Pass

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77
- Formaldehyde Release

Pass

Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)
- Pentachlorophenol (PCP) Content

Pass

Approved by: 

Suhongliang

Technical Director

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Jan. 26, 2026	Valid	Initial release









Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd









Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>









The photo of the sample










Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.








Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.







Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



The photo of AGC05443251252-001 is for use only with the original report.

Test Point Description

Test point	Test module	Test parts	Test point description
Model：MO1093（Main test）			
1	---	---	White silicone tape
2	---	---	Silver metal socket
3	---	---	Black plastic base
4	---	---	Black USB flash drive
Model：MO1001（Main test）			
5	Rose red style	Outer shell	Silver metallic shell
6			Rose red plastic shell
7		---	Green PCB
8		---	Chip IC
9		---	Chip capacitor
10		---	Chip resistor
11		---	Solder
12		---	Solder
13		USB Socket	Silver metal socket
14			Blue plastic core
15			Copper metal pin
16		---	Chip LED
17		---	Chip IC
18		---	Solder
19	Blue style	USB Pin	Solder
20		Circuit board	Solder
21			Solder
22	Grey style	USB Pin	Solder
23		Circuit board	Solder
24			Solder
Model：MO1007（Difference）			
25	---	Outer shell	Transparent plastic buckle
26	---		Silver metallic shell

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Report No.: RSCCS-VIS20122-00

27	---	USB Socket	Solder
28	---	Circuit board	Solder
29	---		Solder
Model : MO1020 (Difference)			
30	---	Outer shell	White plastic shell
31	---	USB Socket	Solder
32	---	Circuit board	Solder
33	---		Solder
Model : MO1055 (Difference)			
34	---	Outer shell	Walnut
35	---	Outer shell	Maple wood
36	---	USB Socket	Solder
37	---	Circuit board	Solder
38	---		Solder
Model : MO1091 (Difference)			
39	---	Outer shell	Black leather belt
40	---		Silver metallic hook
41	---		Silver metal ring
42	---		Silver metal key ring
43	---		Silver metallic buckle
44	---		Silver metallic shaft
45	---		Black plastic shell
46	---		Silver metallic shell
47	---	USB Socket	Solder
48	---	Circuit board	Solder
49	---		Solder
Model : MO1201 (Difference)			
50	---	IC	IC body
51	---		Solder at the pins
52	---	---	Chip capacitor
53	---	---	Chip resistor
54	---	USB Socket	Solder
55	---	---	Black encapsulation IC
Model : MO1202 (Difference)			
56	---	Outer shell	Bamboo
57	---	USB Socket	Solder
58	---	Circuit board	Solder
59	---		Solder
Model : MO6898 (Difference)			
60	---	USB Socket	Solder
61	---	Circuit board	Solder
62	---		Solder
Model : MO9871 (Difference)			
63	---	Outer shell	Beige plastic shell

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

64	---	USB Socket	Solder
65	---	Circuit board	Solder
66	---		Solder
Model : MO1106 (Difference)			
67	---	Outer shell	Orange semi-transparent plastic shell
68	---	USB Socket	Solder
69	---	Circuit board	Solder
70	---		Solder
Model : MO1401 (Difference)			
71	Grey style	Outer shell	Grey plastic shell
72		Circuit board	Solder
73			Solder
74			Chip IC
75			Chip IC
76	Green style	Outer shell	Green plastic shell
77		Circuit board	Solder
78			Solder
79	Orange style	Outer shell	Orange plastic shell
80		Circuit board	Solder
81			Solder
82		TYPE-C Socket	Grey plastic insert
83			Metal pin
84			Silver metal card pin
85			Silver metallic sheet
86			Black plastic sheet
87			Silver metal socket
Model : MO6001 (Difference)			
88	---	Circuit board	Solder
89	---		Solder
Model : MO6004 (Difference)			
90	Navy blue style	Outer shell	Navy blue coating
91			Black plastic shell
92		Circuit board	Solder
93			Solder
94	Red style	---	Red plastic shell
95		Circuit board	Solder
96			Solder
97	White style	---	White plastic shell
98		Circuit board	Solder
99			Solder

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test Results:

Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit, 1mg/kg=0.0001%,

N/A= Not Applicable

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019/CNAS-GL015:2022.

2011/65/EU (RoHS) and its amendment directive (EU) 2015/863

- Pb, Cd, Hg, Cr⁶⁺, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)		/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method			
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	2mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	2mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	2mg/kg	1000mg/kg
Non-metal: Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal: Hexavalent Chromium (Cr ⁶⁺)	IEC 62321-7-1:2015/ UV-Vis	0.1µg/cm²	/
Polybrominated Biphenyls (PBBs) -Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (NonaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
PolybrominatedDiphenylethers (PBDEs) -Monobromodiphenyl ether (MonoBDE) -Dibromodiphenyl ether (DiBDE) -Tribromodiphenyl ether (TriBDE) -Tetrabromodiphenyl ether (TetraBDE) -Pentabromodiphenyl ether (PentaBDE) -Hexabromodiphenyl ether (HexaBDE) -Heptabromodiphenyl ether (HeptaBDE) -Octabromodiphenyl ether (OctaBDE) -Nonabromodiphenyl ether (NonaBDE) -Decabromodiphenyl ether (DecaBDE)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)		50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)		50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)		50mg/kg	1000mg/kg

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
1	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
2	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
3	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
4	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
5	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	IN	N.D.	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
6	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
7	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	IN	N.D.	
			N.D.	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
8	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
9	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
10	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
11	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
12	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
13	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
14	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
15	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
16	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
17	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
18	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
19	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
20	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
21	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
22	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
23	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
24	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
25	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
26	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
27	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
28	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
29	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
30	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
31	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
32	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
33	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
34	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
35	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
36	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
37	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
38	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
39	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
40	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	IN	N.D.	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
41	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
42	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
43	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
44	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
45	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
46	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	IN	N.D.	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
47	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
48	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
49	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
50	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
51	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
52	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
53	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
54	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
55	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
56	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
57	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
58	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
59	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
60	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
61	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
62	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
63	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
64	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
65	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
66	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
67	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
68	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
69	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
70	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
71	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
72	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
73	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
74	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
75	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
76	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
77	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
78	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
79	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
80	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
81	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
82	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
83	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
84	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	IN	N.D.	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
85	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	IN	N.D.	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
86	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
87	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	IN	N.D.	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
88	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
89	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
90	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
91	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
92	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
93	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
94	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
95	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
96	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Test point	Test Item	X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
97	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	BL	/	
			/	
	DIBP	N/A	N.D.	
	DBP	N/A	N.D.	
	BBP	N/A	N.D.	
	DEHP	N/A	N.D.	
98	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	
99	Pb	BL	/	Conformity
	Cd	BL	/	
	Hg	BL	/	
	Cr(Cr ⁶⁺)	BL	/	
	Br	N/A	/	
			/	
	DIBP	N/A	/	
	DBP	N/A	/	
	BBP	N/A	/	
	DEHP	N/A	/	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$
Pb	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Hg	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Cr	mg/kg	$BL \leq 700 - 3\sigma < X$	$BL \leq 700 - 3\sigma < X$	$BL \leq 500 - 3\sigma < X$
Br	mg/kg	$BL \leq 300 - 3\sigma < X$	N/A	$BL \leq 250 - 3\sigma < X$

Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) Boiling-water-extraction:(X represents the results of the tested sample)

Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X < 0.1 \mu\text{g}/\text{cm}^2$	Negative
2	$0.1 \mu\text{g}/\text{cm}^2 \leq X \leq 0.13 \mu\text{g}/\text{cm}^2$	Uncertainty
3	$X > 0.13 \mu\text{g}/\text{cm}^2$	Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

- (5) This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 77

- Formaldehyde Release

Test Methods and Equipment: EN 717-1:2004; UV-Vis

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
				34	35	56
Formaldehyde Release	mg/m ³	0.062	0.006	N.D. (240h)	N.D. (240h)	N.D. (240h)
Conclusion				Conformity	Conformity	Conformity


Regulation (EU) 2019/1021 on persistent organic pollutants (POPs)

- Pentachlorophenol (PCP) Content

Test Methods and Equipment: EPA 3550C:2007 & EPA 8270E:2018; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)		
				34	35	56
Pentachlorophenol (PCP)	mg/kg	5	5	N.D.	N.D.	N.D.
Conclusion				Conformity	Conformity	Conformity

Test Flow Chart of XRF




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Flow Chart of Phthalates




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Flow Chart of Hexavalent Chromium (Cr⁶⁺)




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Flow Chart of PBBs and PBDEs




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Flow Chart of Formaldehyde Release



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test Flow Chart of Pentachlorophenol (PCP)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the “Company”) solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the “Clients”).
2. Any report issued by Company as a result of this application for testing services (the “Report”) shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

*** End of Report ***

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.