



TEST REPORT

Report No. : WTF25F03061459R1X1C
Job No. : FSW2503170726CJ
Applicant : Mid Ocean Brands B.V.
Address : Unit 711-716, 7/F., Tower A, 83 King Lam Street, Cheung
Sha Wan, Kowloon, Hong Kong.
Manufacturer : 114103
Sample Name : Sublimated neoprene bags
Sample Model : MB5006, MCAN01, MCAN11, MCAN21, MB5007, MB5008,
MB5009, MB5010, MB2014, MB2015, MB6006, MB6007,
MB6008, MB6009, MB5011, MB5012, MB2016
Test Requested : Refer to next page (s)
Test Method : Refer to next page (s)
Test Conclusion : **Pass** (Please refer to next pages for details)
Date of Receipt sample : 2025-03-17 & 2025-06-13
Testing period : 2025-03-17 to 2025-03-21 & 2025-06-13 to 2025-06-19
Date of Issue : 2025-07-15
Test Result : Refer to next page (s)
Note : 1) As specified by client, only test the designated sample.
2) As per client's requirement, results of specimen from
No.1 to No.14 are quoted from report
No.WTF25F03061459C specimen from No.1 to No.14.
3) This report is based on Waltek test report
WTF25F03061459R1C for revising, and replaced report
WTF25F03061459R1C.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park,
Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of
Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang



WTF25F03061459R1X1C



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Summary

Item No.	Test Requested	Test Conclusion
1	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
5	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass
6	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass

WALTEK



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Sample photo:



MB5006



MCAN01




MCAN11



MCAN21



MB5007



MB5008



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ



MB5009



MB5010



MB2014



MB2015



MB6006



MB6007



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ



MB6008



MB6009



MB5011



MB5012



MB2016



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Test Results:**1) Lead (Pb)**

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.1+No.4+No.5	No.2	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.3+No.6	No.7	
Lead(Pb)	2	ND*	23	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.8	No.9	
Lead(Pb)	2	32	24	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.10	No.11	
Lead(Pb)	2	26	25	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.12	No.13	
Lead(Pb)	2	ND	22	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.14	No.15+No.20+No.25	
Lead(Pb)	2	ND	ND*	500
Conclusion	--	Pass	Pass	--



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.16+No.17+No.18	No.19	
Lead(Pb)	2	ND*	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.21	No.22	
Lead(Pb)	2	ND	ND	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.23	No.24	
Lead(Pb)	2	ND	24	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.26	No.27	
Lead(Pb)	2	ND	27	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.28	No.29	
Lead(Pb)	2	ND	42	500
Conclusion	--	Pass	Pass	--

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.30	No.31	
Lead(Pb)	2	40	ND	500
Conclusion	--	Pass	Pass	--



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Test Item	LOQ (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.32	No.33	
Lead(Pb)	2	42	ND	500
Conclusion	--	Pass	Pass	--

Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.

(5) "*" = Results are calculated by the minimum weight of mixed components.

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ (mg/kg)	Results (mg/kg)		
		No.2	No.9	No.10
Cadmium(Cd)	2	ND	ND	ND
Conclusion	--	Pass	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)		
		No.12	No.14	No.16+No.17 +No.18
Cadmium(Cd)	2	ND	ND	ND*
Conclusion	--	Pass	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)		
		No.19	No.23	No.24
Cadmium(Cd)	2	ND	ND	ND
Conclusion	--	Pass	Pass	Pass



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Test Item	LOQ (mg/kg)	Results (mg/kg)		
		No.26	No.27	No.29
Cadmium(Cd)	2	ND	ND	11
Conclusion	--	Pass	Pass	Pass

Test Item	LOQ (mg/kg)	Results (mg/kg)			
		No.30	No.31	No.32	No.33
Cadmium(Cd)	2	ND	12	ND	ND
Conclusion	--	Pass	Pass	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

- (5) “**” = Results are calculated by the minimum weight of mixed components.



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%)			Limit (%)
		No.2	No.12	No.14	
Benzyl butyl phthalate (BBP)	0.005	ND	ND	ND	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	ND	ND	
Dibutyl phthalate (DBP)	0.005	ND	ND	ND	
Diisobutyl phthalate (DIBP)	0.005	ND	ND	ND	
Diisodecyl phthalate (DIDP)	0.01	ND	ND	ND	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND	ND	ND	
Di-n-octyl phthalate (DNOP)	0.005	ND	ND	ND	
Conclusion	--	Pass	Pass	Pass	--

Test Items	LOQ (%)	Results (%)		Limit (%)
		No.16+No.17 +No.18	No.19	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	sum of four phthalates < 0.1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.011*	ND	
Dibutyl phthalate (DBP)	0.005	ND*	ND	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	sum of three phthalates < 0.1
Diisononyl phthalate (DINP)	0.01	ND*	ND	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	
Conclusion	--	Pass	Pass	--



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DINP= Di-isononyl phthalate

DNOP= Di-n-octyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No.

1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

(6) "**" = Results are calculated by the minimum weight of mixed components.

WALTEK



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.1+No.4 +No.5	No.3+No.6
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
--	Conclusion	--	--	Pass	Pass



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.15+No.20 +No.25	No.28
1	4-Aminobiphenyl	92-67-1	30	ND*	ND
2	Benzidine	92-87-5	30	ND*	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND
4	2-Naphthylamine	91-59-8	30	ND*	ND
5	o-Aminoazotoluene	97-56-3	30	ND*	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND
7	p-Chloroaniline	106-47-8	30	ND*	ND
8	2,4-diaminoanisol	615-05-4	30	ND*	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND
14	p-cresinin	120-71-8	30	ND*	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND
18	o-Toluidine	95-53-4	30	ND*	ND
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND
21	o-anisidine	90-04-0	30	ND*	ND
22	4-aminoazobenzene	60-09-3	30	ND*	ND
23	2,4-Xylidin	95-68-1	30	ND*	ND
24	2,6-Xylidin	87-62-7	30	ND*	ND
--	Conclusion	--	--	Pass	Pass

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- “*” = Results are calculated by the minimum weight of mixed components.



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

5) Colour Fastness to Rubbing

Colour Fastness to Rubbing					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		No.1	No.3	No.4	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	4-5	--	4-5	2-3
	Wet staining	4-5	--	4-5	2-3
Conclusion		Pass	Pass	Pass	--

Colour Fastness to Rubbing					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		No.5	No.6	No.15	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	4-5	--	--	2-3
	Wet staining	4-5	--	--	2-3
Conclusion		Pass	Pass	Pass	--

Colour Fastness to Rubbing					
(ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
		No.20	No.25	No.28	Client's Limit
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	--	--	--	2-3
	Wet staining	--	--	--	2-3
Conclusion		Pass	Pass	Pass	--

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

6) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	Unit	Results			LOQ	Limit
		No.2	No.12	No.14		
Benzo(a)anthracene (BaA)	mg/kg	ND	ND	ND	0.2	1.0
Chrysene (CHR)	mg/kg	ND	ND	ND	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	ND	ND	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND	ND	ND	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND	ND	ND	0.2	1.0
Dibenzo[a,h]anthracene (DBA _h A)	mg/kg	ND	ND	ND	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND	ND	ND	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND	ND	ND	0.2	1.0
Conclusion	--	Pass	Pass	Pass	--	--

Test Items	Unit	Results		LOQ	Limit
		No.16+No.17 +No.18	No.19		
Benzo(a)anthracene (BaA)	mg/kg	ND*	ND	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	ND	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	ND	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	ND	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	ND	0.2	1.0
Dibenzo[a,h]anthracene (DBA _h A)	mg/kg	ND*	ND	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	ND	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	ND	0.2	1.0
Conclusion	--	Pass	Pass	--	--



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) “*” = Results are calculated by the minimum weight of mixed components.

Description for Specimen:

Specimen No.	Specimen Description
1	Multicolour main fabric
2	Black plastic zipper tooth
3	Black zipper fabric
4	Multicolour main fabric
5	Black lining
6	Black fabric rim
7	Silvery metal zipper head
8	Silvery metal zipper handle
9	Silvery metal zipper head with black surface
10	Silvery metal zipper handle with black surface
11	Silvery metal zipper head
12	Black-white soft plastic handle
13	Silvery metal zipper handle
14	Black rubber sheet
15	Pink webbing
16	Black plastic buckle
17	Black plastic buckle
18	Black plastic buckle



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Specimen No.	Specimen Description
19	Black plastic buckle
20	Black webbing
21	Silvery metal buckle
22	Silvery metal rivet
23	Silvery metal zipper head with white surface
24	Silvery metal zipper handle with white surface
25	Black webbing
26	Silvery metal shell with black surface
27	Silvery metal buckle with black surface
28	Black drawstring
29	Silvery metal buckle with black surface
30	Silvery metal buckle with black surface
31	Silvery metal buckle with black surface
32	Silvery metal rivet with black surface
33	Silvery metal rivet with black surface



Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Photograph of parts tested:





Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ





Report No.: WTF25F03061459R1X1C

Job No.: FSW2503170726CJ

Remarks:

1. The results shown in this test report refer only to the sample(s) tested;
2. This test report cannot be reproduced, except in full, without prior written permission of the company;
3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

WALTEK