

Test report

23A-014085



Verify Report

Overall result

PASS

Please refer to the following pages for test result summary and notes.

Client information

Client: Mid Ocean Brands B.V.

Address: 7/F., Kings Tower, 111 King Lam Street,
Cheung Sha Wan, Kowloon, Hong Kong

Sample information

Description: Saddle cover

Supplier: 118518

Country of origin: -

Country of distribution: Europe

Model #: MPSC01 & MPSC02

Quantity submitted: 4 styles Total: 6pcs

Labeled age grade: -

Tested age grade: -

Materials: Polyester, RPET

Buyer: Mid Ocean Brands B.V.

General information

Sample receipt date: 13-Nov-2023

Testing period: 14-Nov-2023 to 20-Nov-2023

Report date: 20-Nov-2023

QIMA (Hangzhou) Testing Co., Ltd.

Jeremy Xu

Chemical Laboratory Supervisor

QIMA (Hangzhou) Testing Co., Ltd.

Carina Zhou

Textile Laboratory Leader



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.

Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyan Subdistrict, Binjiang District, Hangzhou, China

support@qima.com • ©QIMA Limited

CS-HZ-RE001 ver1.0

Page 1 of 12



Result summary

At the request of the client, the following test were conducted:

Test(s) conducted	Conclusion
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Paints and Surface Coatings	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Substrate Materials	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Paints and Surface Coatings	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Substrate Materials	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 50 Polycyclic Aromatic Hydrocarbon (PAH)	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 43 Azocolorants in Textiles	PASS
Regulation (EC) No. 1907/2006 REACH Annex XVII as amended, Item 51 and 52 Phthalates – Mouthable (DBP, BBP, DEHP, DIBP, DnOP, DINP, DIDP)	PASS
Colour Fastness to Rubbing	PASS



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyan Subdistrict, Binjiang District, Hangzhou, China



Detailed results

Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E1003-09.1
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	7	---	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	---	---	---	---	500
Conclusion	PASS	---	---	---	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyuan Subdistrict, Binjiang District, Hangzhou, China



Detailed results

Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 63 Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal) and/or CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2	3+5	4+6	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Lead (Pb)	ND	ND	ND	---	---	500
Conclusion	PASS	PASS	PASS	---	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyuan Subdistrict, Binjiang District, Hangzhou, China

support@qima.com • ©QIMA Limited
CS-HZ-RE001 ver1.0
Page 4 of 12



Detailed results

Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Paints and Surface Coatings

Test Method: ASTM F963-17 Clause 8.3.1
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	7	---	---	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Cadmium (Cd)	ND	---	---	---	---	1000
Conclusion	PASS	---	---	---	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15 mg/kg)



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyuan Subdistrict, Binjiang District, Hangzhou, China



Detailed results

Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 23 Cadmium in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.1
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2	3+5	4+6	---	---	Limit (mg/kg)
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Total Cadmium (Cd)	ND	ND	ND	---	---	100
Conclusion	PASS	PASS	PASS	---	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 15mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyao Subdistrict, Binjiang District, Hangzhou, China



Detailed results

Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 50 Polycyclic Aromatic Hydrocarbon (PAH)

Test Method: AfPS GS 2019:01

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1+2	4+6	7	---	Limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Benzo [a] pyrene (BaP)	50-32-8	ND	ND	ND	---	1
Benzo [e] pyrene (BeP)	192-97-2	ND	ND	ND	---	1
Benzo [a] anthracene (BaA)	56-55-3	ND	ND	ND	---	1
Chrysene (CHR)	218-01-9	ND	ND	ND	---	1
Benzo [b] fluoranthene (BbFA)	205-99-2	ND	ND	ND	---	1
Benzo [j] fluoranthene (BjFA)	205-82-3	ND	ND	ND	---	1
Benzo [k] fluoranthene (BkFA)	207-08-9	ND	ND	ND	---	1
Dibenzo [a,h] anthracene (DBA _h A)	53-70-3	ND	ND	ND	---	1
Conclusion		PASS	PASS	PASS	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 0.2 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyan Subdistrict, Binjiang District, Hangzhou, China

support@qima.com • ©QIMA Limited
CS-HZ-RE001 ver1.0
Page 7 of 12



Detailed results

Regulation (EC) No. 1907/2006 REACH Annex XVII, Item 43 Azocolorants in Textiles

Test Method: EN ISO 14362-1:2017, EN ISO 14362-3:2017

Analytical Method: Gas Chromatography with Mass Spectrometry, Liquid Chromatography with Diode Array Detection / Liquid Chromatography with Mass Spectrometry

Specimen No.		1+2	3+5	---	---	
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
4-aminobiphenyl	92-67-1	ND	ND	---	---	30
Benzidine	92-87-5	ND	ND	---	---	30
4-chloro-o-toluidine	95-69-2	ND	ND	---	---	30
2-naphtylamine	91-59-8	ND	ND	---	---	30
o-Aminoazotoluene	97-56-3	ND	ND	---	---	30
5-nitro-o-toluidine	99-55-8	ND	ND	---	---	30
4-chloroaniline	106-47-8	ND	ND	---	---	30
2,4-diaminoanisoie	615-05-4	ND	ND	---	---	30
4,4'-methylenedianiline	101-77-9	ND	ND	---	---	30
3,3'-dichlorobenzidine	91-94-1	ND	ND	---	---	30
o-dianisidine	119-90-4	ND	ND	---	---	30
3,3'-dimethylbenzidine	119-93-7	ND	ND	---	---	30
4,4'-methylenedi-o-toluidine	838-88-0	ND	ND	---	---	30
p-cresidine	120-71-8	ND	ND	---	---	30
4,4'-methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	---	---	30
4,4'-oxydianiline	101-80-4	ND	ND	---	---	30
4,4'-thiodianiline	139-65-1	ND	ND	---	---	30
o-toluidine	95-53-4	ND	ND	---	---	30
2,4-diaminotoluene	95-80-7	ND	ND	---	---	30
2,4,5-trimethylaniline	137-17-7	ND	ND	---	---	30
2-methoxyaniline	90-04-0	ND	ND	---	---	30
4-aminoazobenzene	60-09-3	ND	ND	---	---	30
Conclusion		PASS	PASS	---	---	

Note:

mg/kg = Milligrams per kilogram

LT = Less than

ND = Not detected (Reporting Limit = 5 mg/kg)

Composite results are based on total mass of the composite test portion.

Remark:

In the case of levels per amine component less than or equal to 30 mg/kg, according to the analysis as carried out, azo colorants which can release one or more of certain listed amines by cleavage of their azo group/s were not detected in the commodity submitted.





Detailed results

Regulation (EC) No. 1907/2006 REACH Annex XVII as amended, Item 51 and 52 Phthalates – Mouthable (DBP, BBP, DEHP, DIBP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.4

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1+2	4+6	7	Limit (mg/kg)
Test Item	CAS No.	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	ND	ND	ND	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	1000
Sum of DBP, BBP, DEHP, DIBP		ND	ND	ND	1000
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	
Sum of DnOP, DINP, DIDP		ND	ND	ND	1000
Conclusion		PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 150 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyuan Subdistrict, Binjiang District, Hangzhou, China

support@qima.com • ©QIMA Limited
CS-HZ-RE001 ver1.0
Page 9 of 12



Detailed results

Colour Fastness to Rubbing

Test Method: ISO 105-X12: 2016, Size of rubbing finger: 16mm dia.

Specimen No.	1	2	---	---	---	Client's requirement
Items	Result (Grade)	Result (Grade)	Result (Grade)	Result (Grade)	Result (Grade)	
Dry staining	4-5	4-5	---	---	---	Min. 2-3
Wet staining	4-5	4-5	---	---	---	Min. 2-3
Conclusion	PASS	PASS	---	---	---	-

Remark: Grey Scale rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.





Specimen description


Specimen #	Specimen description	Location
1	Multi-color printed white textile	Main body (multi-color with wide elastic style)
2	Red textile	Main body (red with wide elastic style)
3	White textile	Elastic (all with wide elastic styles)
4	White soft plastic	Elastic (all with wide elastic styles)
5	White textile	Elastic (all with narrow elastic styles)
6	White soft plastic	Elastic (all with narrow elastic styles)
7	White ink	Raw material





Pictures

Sample photo:



End of the report

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and the method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule. (<https://www.qima.com/conditions-of-service#decisionRule>). This test report may not be reproduced in whole or in part, without the written approval of QIMA (Hangzhou) Testing Co., Ltd.



Verify Report



QIMA (Hangzhou) Testing Co., Ltd.
Room 401 4-5/F, Building 1, No.1213 Huoju South Road,
Puyan Subdistrict, Binjiang District, Hangzhou, China

support@qima.com • ©QIMA Limited
CS-HZ-RE001 ver1.0
Page 12 of 12